

How can lead hurt my child?

Even small amounts of lead can hurt your child. If lead gets into your child, it could make it hard for your child to:

- Learn
- Pay attention
- Behave appropriately


What are the symptoms of lead poisoning?

Most children who have lead poisoning do not look or act sick. A blood test is the only way to tell if your child has lead poisoning. Talk to your child's doctor or nurse about testing your child and reducing exposure to lead.

Who should be tested?

Children who:

- Live in or regularly visit a home built before 1978, especially if it is being remodeled
- Chew painted furniture or window sills
- Put metal or painted toys or jewelry in their mouths
- Have been given traditional remedies, such as azarcon, greta, kohl or paylooah
- Have contact with people exposed to lead through work or hobbies
- Have recently immigrated or been adopted from another country



What causes lead poisoning in children?

Lead dust and chips from paint in older homes are the biggest source of exposure. Keep children away from peeling paint and plaster.

The lead dust can get on children's toys and hands. The lead is swallowed when they put their hands and toys in their mouths. Wash children's hands and toys often to rinse off any lead dust.

Other things around the house can also contain lead, including:

- Soil and water
- Vinyl products
- Toys and jewelry Handmade pottery

For more information

Washington State Department of Health

Childhood Lead Poisoning Prevention 1-800-909-9898

US Consumer Product Safety Commission

Recalls Related to Lead in Toys 1-800-638-2772 www.cpsc.gov/recentrecalls.html

www.doh.wa.gov/ehp/lead





Dear Colleague,

The Washington State Department of Health (DOH) is pleased to provide cameraready art for printing this educational material. To ensure that the original quality of the piece is maintained, please read and follow the instructions below and the specifications included for professional printing.

- Use the latest version. DOH materials are developed using the most current information available, are checked for clinical accuracy, and are field tested with the intended audience to ensure they are clear and readable. DOH programs make periodic revisions to educational materials, so please check this web site to be sure you have the latest version. DOH assumes no responsibility for the use of this material or for any errors or omissions.
- **Do not alter**. We are providing this artwork with the understanding that it will be printed without alterations and copies will be free to the public. Do not edit the text or use illustrations or photographs for other purposes without first contacting us. Please do not alter or remove the DOH logo, publication number or revision date. If you want to use a part of this publication for other purposes, contact the Office of Health Promotion first.
- For quality reproduction: Low resolution PDF files are intended for black and white or color desktop printers. They work best if you are making only one or two copies. High resolution PDF files are intended for reproducing large quantities and are set up for use by professional offset print shops. The high resolution files also include detailed printing specifications. Please match them as closely as possible and insist on the best possible quality for all reproductions.

If you have questions, contact:
Office of Health Promotion
P.O. Box 47833 Olympia, WA 98504-7833
(360) 236-3736

Sincerely, Health Education Resource Exchange Web Team